

## Rotors

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
99775	10	4	15 KW	5.2 OHMS
99774	10	4	10 KW	5.6 OHMS
99284C	390	4	125 KW	2.04 - 2.20 OHMS
99284B	390	4	100 KW	1.54 - 1.70 OHMS
99284A	390	4	80 KW	1.32 - 1.46 OHMS
99238H	390	4	125 KW	2.04 - 2.20 OHMS
99238G	390	4	35 KW	0.90 - 0.99 OHMS
99238F	390	4	40 KW	0.95 - 1.05 OHMS
99238E	390	4	50 KW	1.02 - 1.13 OHMS
99238D	390	4	50 KW	1.10 - 1.21 OHMS
99238C	390	4	80 KW	1.32 - 1.46 OHMS
99238B	390	4	80 KW	1.42 - 1.57 OHMS
99238A	390	4	100 KW	1.54 - 1.70 OHMS
99238	390	4	25 KW	0.78 - 0.87 OHMS
99237E	390	4	35 KW	0.90 - .99 OHMS
99237D	390	4	40 KW	0.95 - 1.05 OHMS
99237C	390	4	50 KW	1.02 - 1.13 OHMS
99237B	390	4	80 KW	1.32 - 1.46 OHMS
99237A	390	4	100 KW	1.54 - 1.70 OHMS
99237	390	4	25 KW	0.78 - 0.87 OHMS
98747D	390	4	60 KW	1.14 - 1.27 OHMS
98747C	390	4	125 KW	2.04 - 2.2 OHMS
98747B	390	4	100 KW	1.54 - 1.7 OHMS
98747A	390	4	80 KW	1.32 - 1.46 OHMS
98681	10	4	15 KW	5.8 OHMS
98671	10	4	10 KW	10.9 OHMS
98165D	520	4	275 KW	1.36 OHMS
98165C	520	4	250 KW	1.08 OHMS
98165B	520	4	200 KW	1.08 OHMS
98165A	520	4	150 KW	0.94 OHMS
98163A	10	4	20 KW	5.8 OHMS
98163	10	4	20 KW	5.8 OHMS
97478	10	2	6.4 KW	14.8 OHMS
96611	10	4	12 KW	10.9 OHMS
96407	390	4	125 KW	1.77 - 1.95 OHMS
94170	10	2	4.5 KW	13.2 OHMS
BB92917D	390	4	125 KW	1.77 - 1.95 OHMS
BA92917A	390	4	40 KW	7.5 - 8.3 OHMS
BA92917	390	4	40 KW	7.5 - 8.3 OHMS
AZ92917A	390	4	40 KW	9.0 - 10.0 OHMS
AW 92917A	390	4	50 KW	10.1 - 11.1 OHMS
AV 92917	390	4	35 KW	7.5 - 8.3 OHMS
AU92917	390	4	25 KW	6.4 - 7.1 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
AQ92917	390	4	35 KW	7.5 - 8.3 OHMS
AN92917A	390	4	125 KW	2.04 - 2.2 OHMS
AM92917B	390	4	125 KW	1.77 - 1.95 OHMS
AM92917A	390	4	100 KW	1.64 - 1.80 OHMS
AL92917A	390	4	80 KW	1.42 - 1.57 OHMS
AK92917A	390	4	60 KW	1.17 - 1.29 OHMS
AJ92917A	390	4	50 KW	1.10 - 1.21 OHMS
AF92917	390	4	35 KW	7.5 - 8.3 OHMS
AE92917	390	4	25 KW	6.4 - 7.1 OHMS
AD92917A	390	4	80 KW	1.32 - 1.46 OHMS
AB92917A	390	4	80 KW	1.32 - 1.46 OHMS
AA92917	390	4	35 KW	0.90 - 0.99 OHMS
Z92917A	390	4	50 KW	8.9 - 9.9 OHMS
Y92917A	390	4	40 KW	7.9 - 8.7 OHMS
W92917	390	4	25 KW	6.4 - 7.1 OHMS
V92917A	390	4	60 KW	9.8 - 10.8 OHMS
U92917A	390	4	50 KW	8.9 - 9.9 OHMS
Q92917A	390	4	100 KW	1.5 - 1.7 OHMS
N92917C	390	4	60 KW	0.78 - 0.87 OHMS
N92917A	390	4	60 KW	1.14 - 1.27 OHMS
M92917A	390	4	50 KW	1.02 - 1.13 OHMS
L92917C	390	4	40 KW	0.78 - 0.87 OHMS
L92917A	390	4	40 KW	0.95 - 1.05 OHMS
K92917	390	4	35 KW	0.90 - 0.95 OHMS
J92917	390	4	25 KW	0.78 - 0.87 OHMS
H92917A	390	4	100 KW	1.5 - 1.7 OHMS
F92917C	390	4	60 KW	0.78 - 0.87 OHMS
F92917A	390	4	60 KW	1.1 - 1.3 OHMS
E92917A	390	4	50 KW	1.0 OHMS
D92917C	390	4	40 KW	0.78 - 0.87 OHMS
D92917A	390	4	40 KW	0.95 - 1.05 OHMS
B92917	390	4	25 KW	0.8 OHMS
92381G	10	2	10 KW	14.8 OHMS
92381	10	2	10 KW	14.8 OHMS
87440	390	4	60 KW	9.8 - 10.8 OHMS
87438	390	4	25 KW	6.4 - 7.1 OHMS
86843	10	2	4 KW	12.4 OHMS
86554	10	2	5 KW	25.5 OHMS
86553	10	2	5 KW	12.4 OHMS
86353G	520	4	330 KW	1.53 OHMS
86352G	520	4	275 KW	1.36 OHMS
86351G	520	4	250 KW	1.25 OHMS
86350G	520	4	200 KW	1.08 OHMS
86349G	520	4	150 KW	0.94 OHMS
86033	390	4	40 KW	7.9 - 8.7 OHMS
85951	10	4	8 KW	10.9 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
AS84804A	390	4	50 KW	10.1-11.1 OHMS
AR84804A	390	4	40 KW	9.0-10.0 OHMS
AQ84804	390	4	35 KW	8.4 - 9.3 OHMS
AP84804	390	4	25 KW	7.6-8.4 OHMS
AM84804B	390	4	125 KW	1.77-1.95 OHMS
AM84804A	390	4	100 KW	1.54-1.70 OHMS
AL84804A	390	4	80 KW	1.42-1.57 OHMS
AK84804A	390	4	60 KW	1.17-1.29 OHMS
AJ84804A	390	4	50 KW	1.10-1.21 OHMS
AE84804	390	4	25 KW	6.4 - 7.1 OHMS
AD84804A	390	4	80 KW	1.3 OHMS
AB84804A	390	4	80 KW	1.32-1.46 OHMS
AA84804	390	4	35 KW	0.9 - 0.99 OHMS
Z84804A	390	4	50 KW	8.9-9.9 OHMS
Y84804A	390	4	40 KW	7.9-8.7 OHMS
X84804	390	4	35 KW	7.5-8.3 OHMS
W84804	390	4	25 KW	6.4 - 7.1 OHMS
V84804A	390	4	60 KW	9.8-10.8 OHMS
U84804A	390	4	50 KW	8.9 OHMS
S84804	390	4	35 KW	7.5-8.3 OHMS
Q84804A	390	4	100 KW	1.5 - 1.7 OHMS
N84804A	390	4	60 KW	1.14-1.27 OHMS
M84804A	390	4	50 KW	1.02 - 1.13 OHMS
L84804A	390	4	40 KW	0.95-1.05 OHMS
K84804	390	4	35 KW	0.90-0.99 OHMS
J84804	390	4	25 KW	0.78-0.87 OHMS
H84804A	390	4	100 KW	1.54 - 1.70 OHMS
G84804A	390	4	80 KW	1.32-1.46 OHMS
F84804A	390	4	60 KW	1.14-1.27 OHMS
E84804A	390	4	50 KW	1.02 - 1.13 OHMS
D84804C	390	4	40 KW	0.95-1.05 OHMS
D84804A	390	4	40 KW	0.95-1.05 OHMS
C84804	390	4	35 KW	0.90-0.99 OHMS
B84804	390	4	25 KW	0.78-0.87 OHMS
81956	390	4	8 KW	6.2 OHMS
80646	15"	4	30/35 KW	7.94 OHMS
80523	10	4	12 KW	10.9 OHMS
79975	15"	4	24 KW	9.4 OHMS
79972	15"	4	36 KW	11.0 OHMS
78389	10	4	6.4 KW	14.5 OHMS
78125	10	4	8 KW	5.8 OHMS
77900	10	4	8 KW	8.5 OHMS
77570	10	2		13.0 OHMS
77462	10	4	10 KW	5.6 OHMS
76777	15"	4	36 KW	11.0 OHMS
76775	15"	4	24 KW	9.4 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
76528A	15"	4	50 KW	10.1 OHMS
76528	15"	4	45 KW	10.1 OHMS
76051	10	4	10 KW	9.4 OHMS
76018	10	4	8 KW	8.5 OHMS
75187	10	4	20 KW	6.8 OHMS
75186	10	4	15 KW	5.8 OHMS
75184	10	4	15 KW	14.0 OHMS
75182	10	4	20 KW	6.8 OHMS
74842	10	4	10 KW	8.5 OHMS
D74281	15"	4	30 KW	8.35 OHMS
C74281	15"	4	25 KW	7.1 OHMS
B74281	15"	4	30 KW	8.35 OHMS
A74281	15"	4	25 KW	7.10 OHMS
L73304A	15"	4	68 KW	16.8 OHMS
K73304A	15"	4	45 KW	10.1 OHMS
J73304A	15"	4	100 KW	16.8 OHMS
H73304A	15"	4		13.4 OHMS
G73304A	15"	4	60 KW	11.1 OHMS
F73304A	15"	4		10.1 OHMS
F73304	15"	4	40 KW	8.86 OHMS
D73304	15"	4	30/35 KW	7.9 OHMS
C73304	15"	4	20/25 KW	7.1 OHMS
B73304	15"	4	30/35 KW	8.35 OHMS
A73304	15"	4	20/25 KW	7.08 OHMS
72492	15"	4	80 KW	13.3 OHMS
70747	10	2	7.5 KW	14.5 OHMS
E70271A	15"		100 KW	10.0 OHMS
C70271	390	4	35 KW	7.3 - 8.1 OHMS
A69493	10	4	20 KW	6.8 OHMS
B67523	10	4	12.5 KW	7.0 OHMS
A67523	10	4	10 KW	5.6 OHMS
C67077	10	4		5.2 OHMS
B67077	10	4	15 KW	5.2 OHMS
A67077	10	4	20 KW	6.5 OHMS
66207	10	4	20 KW	6.8 OHMS
66206	10	4	15 KW	
66198	15"	4	60 KW	11.2 OHMS
D65899	10	4		13.6 OHMS
C65899	10	4	15 KW	12.6 OHMS
B65899	10	4	12.5 KW	10.5 OHMS
A65899	10	4	10 KW	9.6 OHMS
65332	15"	4	40 KW	8.0 OHMS
64301	15"	4	30 KW	10.0 OHMS
63536	10	4	20 KW	6.8 OHMS
63535	10	4	15 KW	13.0 OHMS
63502	15"	4		9.48 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
A63215	10	4	15 KW	13.7 OHMS
62989	15"	4	25 KW	6.50 OHMS
62766	10	4	10 KW	
C62512	15"	4	25 KW	6.50 OHMS
B62512	15"	4	25 KW	6.50 OHMS
A62512	15"	4	30 KW	7.80 OHMS
C62506	15"	4	30 KW	7.8 OHMS
B62506	15"	4	25 KW	6.50 OHMS
A62506	15"	4	25 KW	6.5 OHMS
C62356	10	4	20 KW	6.8 OHMS
B62356	10	4	20 KW	6.5 OHMS
A62356	10	4	15 KW	5.1 OHMS
A61604	10	4	10 KW	5.6 OHMS
61037	10	4		11.2 OHMS
60966	10	2		10.4 OHMS
60947	10	2		7.8 OHMS
60936	10	4	3.5 KW	11.1 OHMS
60930	10	2		35.0 OHMS
60923	10	2		38.0 OHMS
60918	10	2		36.5 OHMS
60906	10	2		35.5 OHMS
60758	10	2	7 KW	20.0 OHMS
60595	10	4	3.5 KW	12.3 OHMS
60382	15"	4	25 KW	6.50 OHMS
59851	15"	4	25 KW	6.50 OHMS
59828	15"	4	100 KW	11.35 OHMS
59516	15"	4	30/35 KW	7.80 OHMS
59507	15"	4	25 KW	6.50 OHMS
59368	15"	4	30/35 KW	7.80 OHMS
58583	15"	4	35 KW	7.80 OHMS
58168	10	4		11.6 OHMS
57992	15"	4	100 KW	10.4 OHMS
57970	15"	4	96 KW	9.90 OHMS
57738	10	4	15 KW	5.1 OHMS
57726	10	4	20 KW	6.5 OHMS
57657	15"	4		14.3 OHMS
C57473	10	4	8 KW	6.25 OHMS
B57473	10	4	5.5 KW	4.6 OHMS
A57473	10	4	10 KW	5.6 OHMS
57046	15"	4	45 KW	9.48 OHMS
57045	15"	4	35 KW	7.8 OHMS
57044	15"	4	25 KW	6.50 OHMS
56615	10	2		35.8 OHMS
56614	10	2		35.8 OHMS
56325	10	4		12.8 OHMS
56051	10	4		12.3 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
55801	10	2		12.0 OHMS
55765	15"	4	50 KW	10.0 OHMS
55031	10	2		34.8 OHMS
54697	10	4	40 KW	
54648	10	4		10.9 OHMS
54573	10	2		26.9 OHMS
54443	10	2	6 KW	7.8 OHMS
54430	10	4	3.5 KW	12.3 OHMS
54285	10	2		18.0 OHMS
54269	10	4		12.8 OHMS
54209	10	2		38.0 OHMS
53606	15"	4	50 KW	10.0 OHMS
53494	10	2		10.4 OHMS
53321	10	4		11.8 OHMS
53185	10	4	2.7 KW	16.7 OHMS
53178	10	4	5 KW	16.1 OHMS
53158	10	4	4 KW	18.1 OHMS
53054	10	4		11.1 OHMS
53002	10	4		11.1 OHMS
52969	10	2	6 KW	9.5 OHMS
52180	10	2		35.0 OHMS
52058	10	2		16.2 OHMS
51861	10	2		15.4 OHMS
51841	10	2		
51296	10	2		17.5 OHMS
51274	10	2		8.7 OHMS
A51015	10	4		11.6 OHMS
50905A	10	2		14.5 OHMS
50905	10	2	7 KW	19.4 OHMS
50609	10	4		5.1 OHMS
50558	10	2		16.2 OHMS
50557	10	2		16.2 OHMS
50521	10	2		16.2 OHMS
50490	10	2		15.4 OHMS
49947	10	2		5.4 OHMS
A49913	10	4	20 KW	8.95 OHMS
49387	10	2		5.4 OHMS
49381	10	2		6.2 OHMS
49379	10	2		7.7 OHMS
49281	10	4		10.9 OHMS
48533	10	2		5.5 OHMS
48458	10	2		8.4 OHMS
48435	10	2	40 KW	7.4 OHMS
48269	10	2	30 KW	10.2 OHMS
47942	10	2		20.0 OHMS
47862	10	2		7.1 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
47590	10	2	15 KW	5.9 OHMS
47026	10	2		8.4 OHMS
46990	10	2		26.0 OHMS
46538	10	2		6.8 OHMS
46148	10	2		23.8 OHMS
45462	10	2		6.8 OHMS
45438	10	2		6.6 OHMS
44687	10	2		18.2 OHMS
44452	10	2		9.48 OHMS
43852	10	2		20.0 OHMS
42811	10	2		16.2 OHMS
42744	10	2		15.0 KW
42379	10	2		16.2 OHMS
40537	10	2		7.9 OHMS
39773	10	2		10.0 OHMS
39772	10	2		6.6 OHMS
39663	10	2		23.8 OHMS
39650	10	2		19.0 OHMS
39017	10	2		39 OHMS
38825	10	2		17.8 OHMS
38663	10	2		23.8 OHMS
21896	520	4	200 KW	1.08 OHMS
21428B	390	4	100 KW	1.54 - 1.70 OHMS
B21146A	520	4	200 KW	1.08 OHMS
B21146	520	4	275 KW	
A21146B	520	4	330 KW	1.53 OHMS
A21146A	520	4	150 KW	0.94 OHMS
A21146	520	4	250 KW	1.25 OHMS
21110A	390	4	80 KW	1.42 - 1.57 OHMS
21090B	390	4	100 KW	1.54 OHMS
21090A	390	4	80 KW	1.32 OHMS
20817E	390	4	125 KW	2.04 - 2.20 OHMS
20817D	390	4	125 KW	2.04 - 2.20 OHMS
20817B	390	4	125 KW	2.04 - 2.20 OHMS
20816J	390	4	100 KW	1.54 - 1.70 OHMS
20816H	390	4	100 KW	1.54 - 1.70 OHMS
20816E	390	4	100 KW	1.54 - 1.70 OHMS
20816D	390	4	100 KW	1.54 - 1.70 OHMS
20816B	390	4	100 KW	1.54 - 1.70 OHMS
20815J	390	4	80 KW	1.32 - 1.46 OHMS
20815H	390	4	80 KW	1.42 - 1.57 OHMS
20815G	390	4	80 KW	1.42 - 1.57 OHMS
20815E	390	4	80 KW	1.32 - 1.46 OHMS
20815D	390	4	80 KW	1.32 - 1.46 OHMS
20815B	390	4	80 KW	1.32 - 1.46 OHMS
20814J	390	4	60 KW	1.14 - 1.27 OHMS

<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
20814G	390	4	60 KW	1.17 - 1.29 OHMS
20814E	390	4	60 KW	1.14 - 1.27 OHMS
20814D	390	4	60 KW	1.14 - 1.27 OHMS
20814B	390	4	60 KW	1.14 - 1.27 OHMS
20813J	390	4	50 KW	1.02 - 1.13 OHMS
20813H	390	4	50 KW	1.10 - 1.21 OHMS
20813G	390	4	50 KW	1.10 - 1.21 OHMS
20813E	390	4	50 KW	1.02 - 1.13 OHMS
20813D	390	4	50 KW	1.02 - 1.13 OHMS
20813B	390	4	50 KW	1.02 - 1.13 OHMS
20813A	390	4	50 KW	8.9 - 9.9 OHMS
20812H	390	4	40 KW	0.95 - 1.05 OHMS
20812F	390	4	40 KW	9.0 - 10.0 OHMS
20812E	390	4	40 KW	0.95 - 1.05 OHMS
20812D	390	4	40 KW	0.95 - 1.05 OHMS
20812C	390	4	40 KW	7.9 - 8.7 OHMS
20812B	390	4	40 KW	0.95 - 1.05 OHMS
20812A	390	4	40 KW	7.9 - 8.7 OHMS
20811H	390	4	35 KW	0.90 - 0.99 OHMS
20811E	390	4	35 KW	0.90 - 0.99 OHMS
20811D	390	4	35 KW	0.90 - 0.99 OHMS
20811B	390	4	35 KW	0.90 - 0.99 OHMS
20811A	390	4	35 KW	7.5 - 8.3 OHMS
20810J	390	4	60 KW	1.14 - 1.27 OHMS
20810F	390	4	60 KW	
20810E	390	4	60 KW	1.14 - 1.27 OHMS
20810D	390	4	60 KW	1.14 - 1.27 OHMS
20810B	390	4	60 KW	1.14 - 1.27 OHMS
20809J	390	4	50 KW	1.02 - 1.13 OHMS
20809H	390	4	50 KW	1.10 - 1.21 OHMS
20809G	390	4	50 KW	1.10 - 1.21 OHMS
20809E	390	4	50 KW	1.02 - 1.13 OHMS
20809D	390	4	50 KW	1.02 - 1.13 OHMS
20809B	390	4	50 KW	1.02 - 1.13 OHMS
20808H	390	4	40 KW	0.95 - 1.05 OHMS
20808F	390	4	40 KW	9.0-10.0 OHMS
20808E	390	4	40 KW	0.95 - 1.05 OHMS
20808D	390	4	40 KW	0.95 - 1.05 OHMS
20808C	390	4	40 KW	7.9-8.7 OHMS
20808B	390	4	40 KW	0.95 - 1.05 OHMS
20808A	390	4	40 KW	7.9 - 8.7 OHMS
20807H	390	4	35 KW	0.90 - 0.99 OHMS
20807E	390	4	35 KW	0.90 - 0.99 OHMS
20807D	390	4	35 KW	0.90 - 0.99 OHMS
20807B	390	4	35 KW	0.90 - 0.99 OHMS
20807A	390	4	35 KW	7.5 - 8.3 OHMS



<b>ROTOR</b>	<b>SIZE</b>	<b>POLES</b>	<b>KW</b>	<b>RESISTANCE</b>
20806H	390	4	35 KW	0.90 - 0.99 OHMS
20806F	390	4	35 KW	7.5 - 8.3 OHMS
20806E	390	4	35 KW	0.90 - 0.99 OHMS
20806D	390	4	35 KW	0.90 - 0.99 OHMS
20806C	390	4	35 KW	7.5 - 8.3 OHMS
20806B	390	4	35 KW	0.90 - 0.99 OHMS
20806A	390	4	35 KW	7.5 - 8.3 OHMS
20804H	390	4	25 KW	0.78 - 0.87 OHMS
20804F	390	4	25 KW	6.4 - 7.1 OHMS
20804E	390	4	25 KW	0.78 - 0.87 OHMS
20804D	390	4	25 KW	0.78 - 0.87 OHMS
20804C	390	4	25 KW	6.4 - 7.1 OHMS
20804B	390	4	25 KW	0.78 - 0.87 OHMS
20804A	390	4	25 KW	6.4 - 7.1 OHMS
20685	10	2	6.4 KW	12.6 - 16.3 OHMS
20684	10	2	8 KW	13.9 - 17.9 OHMS
A6379	520	4	250 KW	1.25 OHMS
A6276	520	4	110 KW	0.94 OHMS
A5784C	520	4	250 KW	1.25 OHMS
A5784A	520	4	150 KW	0.94 OHMS
A3883E	390	4	125 KW	2.04-2.20 OHMS
A3883D	390	4	125 KW	2.04-2.20 OHMS
A3883B	390	4	125 KW	2.04-2.20 OHMS
A3882J	390	4	100 KW	1.54-1.70 OHMS
A3882H	390	4	100 KW	1.54-1.70 OHMS
A3882E	390	4	100 KW	1.54-1.70 OHMS
A3882D	390	4	100 KW	1.54-1.70 OHMS
A3882B	390	4	100 KW	1.54-1.70 OHMS
A3881J	390	4	80 KW	1.32-1.46 OHMS
A3881H	390	4	80 KW	1.42-1.57 OHMS
A3881G	390	4	80 KW	1.42-1.57 OHMS
A3881E	390	4	80 KW	1.32-1.46 OHMS
A3881D	390	4	80 KW	1.32-1.46 OHMS
A3881B	390	4	80 KW	1.32-1.46 OHMS
A3880J	390	4	60 KW	1.14-1.27 OHMS
A3880G	390	4	60 KW	1.17-1.29 OHMS
A3880E	390	4	60 KW	1.14-1.27 OHMS
A3880D	390	4	60 KW	1.14-1.27 OHMS
A3880B	390	4	60 KW	1.14-1.27 OHMS
A3879J	390	4	50 KW	1.02-1.13 OHMS
A3879H	390	4	50 KW	1.10-1.21 OHMS
A3879G	390	4	50 KW	1.10-1.21 OHMS
A3879E	390	4	50 KW	1.02-1.13 OHMS
A3879D	390	4	50 KW	1.02-1.13 OHMS
A3879B	390	4	50 KW	1.02-1.13 OHMS
A3878H	390	4	40 KW	0.95-1.05 OHMS



Stators						
STATOR	SIZE	PH	KW	PWR	DPE	BCW
98937	10		25 KW	0.12/0.12 OHMS	0.5 OHMS	
98684	10	3	15 KW	0.17x6 OHMS	0.55 OHMS	
98682	10	1	15 KW	0.066/0.066 OHMS	0.47 OHMS	
98678	10	3	20 KW	0.15x6 OHMS	0.39 OHMS	
98676	10	1	20 KW	0.05/0.05 OHMS	0.5 OHMS	
98674	10	3	10 KW	0.21x6 OHMS	0.75 OHMS	
98672	10	1	10 KW	0.1/0.13 OHMS	0.87 OHMS	
98480	10	3	8 KW	0.678/ 0.977/ 0.977 OHMS	2.48 OHMS	0.13 OHMS
98429	10	3	6.4 KW			
98175	10	1	20 KW	0.05/0.05 OHMS	0.5 OHMS	
98162A	10	1	20 KW	0.53/0.53 OHMS	0.225 OHMS	
98162	10	1	20 KW	0.53/0.53 OHMS	0.225 OHMS	
98161	10	3	20 KW	0.13x6 OHMS	1.0 OHMS	
97621	10	3	25 KW	0.101x6 OHMS	0.517 OHMS	
96612	10	1	12 KW	0.13/0.13 OHMS	0.87 OHMS	
96571A	390	3	40 KW	0.34-0.36 OHMS	0.59-0.65 OHMS	
96571	390	3	40 KW	0.34-0.36 OHMS	0.59-0.65 OHMS	
96406	390	3	125 KW	0.023-0.027 OHMS	0.60-0.66 OHMS	
96392	390	3	35 KW	0.06-0.1x6 OHMS	0.7 OHMS	
95634	10	1	5 KW	0.33/0.33 OHMS	1.40 OHMS	0.15 OHMS
94987	10	1	10 KW	0.148/0.148 OHMS	1.70 OHMS	0.15 OHMS
94983G	10	1	10 KW	0.148 OHMS	1.70 OHMS	0.175 OHMS
94983	10	1	10 KW	0.148 OHMS	1.70 OHMS	0.175 OHMS
94575G	520	3	330 KW	0.0034x6 OHMS		
94574G	520	3	275 KW	0.004x6 OHMS		
94573G	520	3	250 KW	0.005x6 OHMS		
94572G	520	3	200 KW	0.008x6 OHMS		
94572	520	3	200KW	0.008x6 OHMS		
94571G	520	3	150 KW	0.0139x6 OHMS		
94571	520	3	150 KW	0.0139x6 OHMS		
94171	10	1	4.5 KW	0.392/0.392 OHMS	2.25 OHMS	0.22 OHMS
92772	390	3	100 KW	0.038-0.040 OHMS	0.46-0.52 OHMS	
92382	10	1	10 KW	0.130/0.130 OHMS	1.70 OHMS	0.175 OHMS
90976	390	3	100 KW	0.038-0.040 OHMS	0.46-0.52 OHMS	
90303G	520	3	250 KW	0.018x6 OHMS		
90302G	520	3	200 KW	0.031x6 OHMS		
90301G	520	3	150 KW	0.049x6 OHMS		
90301	520	3	150 KW	0.0236x6 OHMS		
89871	390	1	125 KW	0.006-0.007 OHMS	0.25-0.27 OHMS	
88756	10	3	6.4 KW	1.17x3 OHMS	1.79 OHMS	0.22 OHMS
88431	390	3	100 KW	0.038-0.040 OHMS	0.79-0.90 OHMS	
88005	390		50 KW	0.060-0.067 OHMS	0.85-0.94 OHMS	
88004	390	3	40 KW	0.0102-0.112 OHMS	0.98-1.09 OHMS	
88003	390	3	35 KW	0.106-0.117 OHMS	1.05-1.16 OHMS	
88002	390	3	25 KW	0.24-0.27 OHMS	1.48-1.64 OHMS	

STATOR	SIZE	PH	KW	PWR	DPE	BCW
87864	390	1	60 KW	0.016-0.018 OHMS	0.33-0.36 OHMS	
87863	390	1	50 KW	0.02-0.03 OHMS	0.39-0.43 OHMS	
87862	390	1	40 KW	0.39-0.43 OHMS	0.49-0.56 OHMS	
87861	390	1	35 KW	0.05-0.06 OHMS	0.55-0.61 OHMS	
87860	390	1	25 KW	0.10-0.11 OHMS	1.3 OHMS	
87439	390	3	60 KW	0.07-0.1x6 OHMS	1.2 OHMS	
87437	390	1	25 KW	0.08-0.09 OHMS	1.7 OHMS	
87264G	390	3	125 KW	0.012x6 OHMS	0.43-0.50 OHMS	
87264A	390	3	125 KW	0.012x6 OHMS		
87263	390	3	80 KW	0.01-0.03x6 OHMS	0.2-0.3 OHMS	
87257	390	1	100 KW	0.016x4 OHMS	0.22 OHMS	
87256	390	1	80 KW	0.010-0.011 OHMS	0.26-0.29 OHMS	
87255A	390	1	60 KW	0.016-0.018 OHMS	0.25-0.28 OHMS	
87255	390	1	60 KW	0.016-0.018 OHMS	0.25-0.28 OHMS	
87254	390	1	50 KW	0.02-0.03x2 OHMS	0.3-0.34 OHMS	
87253A	390	1	40 KW	0.032-0.035 OHMS	0.37-0.41 OHMS	
87253	390	1	40 KW	0.03/0.03 OHMS	0.37 OHMS	
87252	390	1	35 KW	0.05-0.06 OHMS	0.41-0.45 OHMS	
87251	390	1	25 KW	0.09-0.11 OHMS	0.54-0.59 OHMS	
86832	10	1	4 KW	0.392/0.392 OHMS	2.25 OHMS	0.22 OHMS
86549A	390	3	100 KW	0.038-0.040 OHMS		
86549	390	3	100 KW	0.04x6 OHMS	0.45 OHMS	
86541A	390	3	80 KW	0.03x6 OHMS		
86541	390	3	80 KW	0.03x6 OHMS	0.4-0.5 OHMS	
86540C	390	3	60 KW	0.05X6 OHMS	0.4 OHMS	
86540B	390	3	60 KW	0.050-0.054 OHMS		
86540A	390	3	60 KW	0.050-0.054 OHMS	0.39-0.44 OHMS	
86540	390	3	60 KW	0.05x6 OHMS	0.4 OHMS	
A86539A	390		50 KW			
86539A	390	3	50 KW	0.063-0.70 OHMS		
86539	390	3	50 KW	0.06/0.06 OHMS	0.6 OHMS	
86538B	390	3	40 KW	0.10-0.11 OHMS		
86538A	390	3	40 KW	0.10-0.11 OHMS	0.37-0.40 OHMS	
86538	390	3	40 KW	0.10-0.11 OHMS	0.37-0.40 OHMS	
86537A	390	3	35 KW	0.11-0.12 OHMS		
86537	390	3	35 KW	0.11-0.12 OHMS	0.78-0.83 OHMS	
86536A	390	3	25 KW	0.24-0.26 OHMS		
86536	390	3	25 KW	0.25x6 OHMS		
86348G	520	3	330 KW	0.003X6 OHMS		
86347G	520	3	275 KW	0.0041X6 OHMS		
86346G	520		250 KW	NO CARD		
86345G	520	3	200 KW	0.008X6 OHMS		
86034	390	1	40 KW	0.04/0.04 OHMS	0.9 OHMS	
85950	10	3	12 KW	0.21x6 OHMS	0.75 OHMS	
85571	390					
84933	15"	1	40 KW	0.04/0.04 OHMS	0.39 OHMS	
84228	15"	1	90 KW	0.01/0.01 OHMS	0.29 OHMS	

STATOR	SIZE	PH	KW	PWR	DPE	BCW
83735	15"	3	100 KW	0.022X6 OHMS	0.22 OHMS	
83447	390	3	80 KW	0.080-0.100 OHMS	0.38-0.40 OHMS	
83276	15"	3	6.4 KW	0.51X6 OHMS	0.84 OHMS	
83221	15"					
81290	10	3	8 KW	0.30x6 OHMS	0.88 OHMS	
80647	15"	1	30/35 KW	0.05/0.05 OHMS	0.39 OHMS	
80567	10	3	16 KW	0.21x6 OHMS	1.27 OHMS	
80528	10	1	16 KW	0.1/0.1 OHMS	0.63 OHMS	
80527	10	1	12 KW	0.13/0.13 OHMS	0.87 OHMS	
79943	10	3	20 KW	0.15x6 OHMS	0.39 OHMS	
79941	10	3	16 KW	0.18x6 OHMS	0.94 OHMS	
79935	10	3	12 KW	0.21x6 OHMS	0.75 OHMS	
78367	10	3	6.4 KW	1.17x3 OHMS	1.79 OHMS	0.25 OHMS
78124	10	3	8 KW	0.24x6 OHMS	0.78 OHMS	
78087	15"	3	40 KW	0.08X6 OHMS	0.33 OHMS	
78085	15"	1	40 KW	0.03/0.03 OHMS	0.33 OHMS	
77500	10	3	20 KW	0.124x6 OHMS	0.57 OHMS	
77218	10	1	8 KW	0.16/0.16 OHMS	1.3 OHMS	0.15 OHMS
76816	15"	1	45 KW	0.02/0.02 OHMS		
76052	10	1	10 KW	0.14/0.14 OHMS	0.73 OHMS	
76036	10	3	20 KW	0.135x6 OHMS	0.45 OHMS	
76019A	10	1	8 KW	0.21/0.21 OHMS	1.00 OHMS	
76019	10	1	8 KW	0.2/0.2 OHMS	1.00 OHMS	
75575	10	1	20 KW	0.05/0.05 OHMS	0.5 OHMS	
74841	10	1	10 KW	0.14/0.14 OHMS		
74840	10	1	8 KW	0.21/0.21 OHMS	1.00 OHMS	
73418	15"	3	100 KW	0.02X6 OHMS	0.36 OHMS	
73417	15"	3	65/70/80 KW	0.03X6 OHMS	0.34 OHMS	
73415	15"	1	65/70/80 KW	0.01/0.01 OHMS	0.32 OHMS	
73414	15"	3	60 KW	0.04X6 OHMS	0.30 OHMS	
73412	15"	1	60 KW	0.02/0.02 OHMS	0.25-0.40 OHMS	
73411A	15"	3	45/50 KW	0.05X6 OHMS	0.27 OHMS	
73411	15"	3	45/50 KW	0.05X6 OHMS	0.27 OHMS	
73409	15"	1	45/50 KW	0.02/0.02 OHMS	0.28 OHMS	
73408	15"	3	36/40 KW	0.08X6 OHMS	0.33-0.50 OHMS	
73406	15"	1	36/40 KW	0.03/0.03 OHMS	0.33 OHMS	
73405	15"	3	30/35 KW	0.03/0.03 OHMS		
73403	15"	1	30/35 KW	0.05/0.05 OHMS	0.39 OHMS	
73402	15"	3	20/25 KW	0.22X6 OHMS	0.48-0.90 OHMS	
73400	15"	1	20/25 KW	0.07/0.07 OHMS	0.48 OHMS	
72801	15"	1	80 KW	0.01/0.01 OHMS	0.27 OHMS	
72493	15"	3	80 KW	0.03X6 OHMS	0.27 OHMS	
72452	15"	3	100 KW			
69274	10	3	20 KW	0.15x6 OHMS	0.5 OHMS	
72412	10	3	20 KW	0.07-0.14 OHMS	0.45 OHMS	
70098	10	1	15 KW	0.09/0.09 OHMS	0.84 OHMS	
69272	10	1	20 KW	0.05/0.05 OHMS	0.5 OHMS	

STATOR	SIZE	PH	KW	PWR	DPE	BCW
69268	10	3	15 KW	0.2X6 OHMS	1.32 OHMS	
69266	10	1	15 KW	0.068/0.068 OHMS	0.74 OHMS	
68686	10	1	20 KW	0.056/0.056 OHMS	0.61 OHMS	
68679	10	1	20 KW	0.056/0.056 OHMS	0.44 OHMS	
68455	10	3	17.5 KW	0.130x6 OHMS	0.571 OHMS	
68454	10	3	17.5 KW	0.056/0.056 OHMS		
68453	10	1	17.5 KW	0.13x6 OHMS	0.857 OHMS	
68452	10	3	17.5 KW	0.13X6 OHMS	0.857 OHMS	
68450	10	1	17.5 KW	0.06/0.06 OHMS	0.7 OHMS	
68439	10	3	12.5 KW	0.28x6 OHMS	0.8 OHMS	
68437	10	3	12.5 KW	0.22x6 OHMS	0.95 OHMS	
68435	10	3	10 KW	0.32x6 OHMS	0.80 OHMS	
68430	10	1	15 KW	0.066/0.066 OHMS	0.64 OHMS	
68428	10	3	15 KW	0.17x6 OHMS	0.79 OHMS	
68427	10	1	10 KW	0.13/0.13 OHMS	0.84 OHMS	
68426	10	3	10 KW	0.30x6 OHMS	0.88 OHMS	
68403	10	3	15 KW	0.17x6 OHMS	0.55 OHMS	
68402	10	3	15 KW	0.09x2.14x4 OHMS	0.46 OHMS	
68401	10	1	15 KW	0.07/0.07 OHMS	0.47 OHMS	
67034	10	1	12.5 KW	0.01/0.01 OHMS	0.72 OHMS	
67033	10	1	12.5 KW	0.01/0.01 OHMS	0.58 OHMS	
66665	10	1	10 KW	0.1/0.13 OHMS	0.57 OHMS	
66609A	10		20 KW	0.476x6 OHMS	1.24 OHMS	
66609	10	3	20 KW	0.13x6 OHMS	1.00 OHMS	
65813	10	3	15 KW	0.14x6 OHMS	1.1 OHMS	
63537	10	1	20 KW	0.053/0.053 OHMS	0.40 OHMS	
63529	10	1	15 KW	0.066/0.066 OHMS	0.40 OHMS	
63282	10	1	15 KW	0.066/0.066 OHMS	0.40 OHMS	
59820A	10	3	10 KW	0.30X6 OHMS	1.25 OHMS	
59820	10	3	10 KW	0.30x6 OHMS	1.25 OHMS	
58933	10	1	15 KW	0.07/0.07 OHMS	0.85 OHMS	
58579	10	1	8 KW	0.17/0.17 OHMS	0.71 OHMS	
58313	10	1	5.5 KW	0.27/0.27 OHMS	1.87 OHMS	
58072A	10	3	10 KW	0.35X6 OHMS	1.3 OHMS	
58072	10	3	10 KW	0.35x6 OHMS	1.3 OHMS	
57836A	10	1	10 KW	0.11/0.11 OHMS	0.1 OHMS	
57836	10	1	10 KW	0.11/0.11 OHMS	0.1 OHMS	
57743	10	3	15 KW	0.16x6 OHMS	1.1 OHMS	
57739	10	1	15 KW	0.066/0.066 OHMS	0.83 OHMS	
57410	10	3	20 KW	0.12X6 OHMS	1.01 OHMS	
54694	10	3	30 KW	0.19X3 OHMS	0.19 OHMS	
54693	10	3	20 KW	0.24X3 OHMS	0.24 OHMS	
54692	10	3	20 KW	0.36x3 OHMS	0.36 OHMS	
54615	10	1	25 KW	0.032/0.032 OHMS	0.50 OHMS	
54614	10	1	20 KW	0.036/0.036 OHMS	0.7 OHMS	
54610	10	1	12 KW	0.10/0.10 OHMS	1.1 OHMS	
54570	10	3	3.5 KW	0.25/ 0.51/ 0.76 OHMS	2.68 OHMS	0.10 OHMS

STATOR	SIZE	PH	KW	PWR	DPE	BCW
54192	10	1	20 KW	0.054/0.054 OHMS	0.66 OHMS	
54191	10	1	30 KW	0.03/0.03 OHMS	0.42 OHMS	
53477	10	1	40 KW	0.022/0.022 OHMS	0.5 OHMS	
53186	10	1	2 KW	0.28/0.84 OHMS	1.09 OHMS	
53181	10	1	2 KW	0.30 OHMS	1.77 OHMS	
53165	10	1	4 KW	0.175/0.54 OHMS	1.23 OHMS	
52968	10	1	6 KW	0.17/0.17 OHMS	1.0 OHMS	0.09 OHMS
51483	10	1	6.5 KW	0.22/0.22 OHMS	1.40 OHMS	0.08 OHMS
51275	10	1	20 KW	0.077/0.077 OHMS	0.50 OHMS	
50976	10	1	7 KW	0.33/0.33 OHMS	1.20 OHMS	0.07 OHMS
50922	10	1	7 KW	0.33/0.33 OHMS	1.2 OHMS	0.07 OHMS
49923A	10	1	20 KW	0.056/0.056 OHMS	0.85 OHMS	
49923	10	1	20 KW	0.056/0.056 OHMS	0.85 OHMS	
49914	10	3	35 KW	0.075x6 OHMS	0.9 OHMS	
49675	10	3	20 KW	0.2x6 OHMS	1.0 OHMS	
49464	10	1	5 KW	0.42/0.42 OHMS	1.8 OHMS	0.15 OHMS
49388	10	3	20 KW	0.24X3 OHMS	1.8 OHMS	0.15 OHMS
49386	10	3	25 KW	0.19X3	0.19 OHMS	
49380	10	3	20 KW	0.36x3 OHMS	0.36 OHMS	
49352	10			0.049x0.049 OHMS	0.7 OHMS	
49345	10	1	12 KW	0.10/0.10 OHMS	1.1 OHMS	
49183	10	1	15 KW	0.05/0.05 OHMS	1.1 OHMS	
48534	10	3	40 KW	0.04x3 OHMS	1.15 OHMS	
48479	10	1	3.5 KW	0.56/0.56 OHMS	0.09 OHMS	
48457	10	1	20 KW	0.08/0.08 OHMS	0.85 OHMS	
48436	10	1	40 KW	0.022/0.022 OHMS	0.5 OHMS	
48268	10	1	30 KW	0.03/0.03 OHMS	0.42 OHMS	
47930	10	1	7 KW	0.3/0.3 OHMS	1.4 OHMS	0.08 OHMS
47025	10	1	27 KW	0.028/0.028 OHMS	0.70 OHMS	
46540	10	1	20	0.06/0.06 OHMS	0.8 OHMS	
21483	390	3	100 KW	0.013-0.016 OHMS	0.46-0.52 OHMS	
20732E	390	3	125 KW	0.012-0.015 OHMS		
20732D	390	3	125 KW	0.012-0.015 OHMS	0.43-0.49 OHMS	
20732B	390	1	125 KW	0.006-0.007 OHMS	0.25-0.27 OHMS	
20731E	390	3	60 KW	0.050-0.054 OHMS		
20731D	390	3	60 KW	0.050-0.054 OHMS	0.39-0.44 OHMS	
20731B	390	1	60 KW	0.016-0.018 OHMS	0.25-0.28 OHMS	
20730E	390	3	50 KW	0.063-0.070 OHMS		
20730D	390	3	50 KW	0.063 -0.070 OHMS	0.61-0.67 OHMS	
20730B	390	1	50 KW	0.02-0.03 OHMS	0.30-0.34 OHMS	
20729E	390	3	40 KW	0.10-0.11 OHMS		
20729D	390	3	40 KW	0.10-0.11 OHMS	0.37-0.40 OHMS	
20729C	390	3	40 KW	0.102-1.2 OHMS	0.98-1.09 OHMS	
20729B	390	1	40 KW	0.032-0.035 OHMS	0.37-0.41 OHMS	
20729A	390	1	40 KW	0.9-0.43 OHMS	0.49-0.56 OHMS	
20728E	390	3	35 KW	0.11-0.12 OHMS		
20728D	390	3	35 KW	0.11-0.12 OHMS	0.78-0.83 OHMS	

STATOR	SIZE	PH	KW	PWR	DPE	BCW
20728B	390	1	35 KW	0.05-0.06 OHMS	0.41-0.45 OHMS	
20728A	390	1	35 KW	0.05-0.06 OHMS	0.55-0.61 OHMS	
20722J	390	3	100 KW	0.038-0.040 OHMS	0.79-0.90 OHMS	
20722E	390	3	100 KW	0.038-0.040 OHMS		
20722D	390	3	100 KW	0.038-0.040 OHMS	0.46-0.52 OHMS	
20722B	390	1	100 KW	0.016-0.018 OHMS	0.22-0.24 OHMS	
20721J	390	3	80 KW	0.080-0.100 OHMS	0.38-0.44 OHMS	
20721E	390	3	80 KW	0.031-0.034 OHMS		
20721D	390	3	80 KW	0.031-0.034 OHMS	0.47-0.53 OHMS	
20721B	390	1	80 KW	0.01-0.011 OHMS	0.26-0.29 OHMS	
20720E	390	3	60 KW	0.050-0.054 OHMS		
20720D	390	3	60 KW	0.050-0.054 OHMS	0.39-0.44 OHMS	
20720B	390	1	60 KW	0.016-0.018 OHMS	0.25-0.28 OHMS	
20719E	390	3	50 KW	0.063-0.070 OHMS		
20719D	390	3	50 KW	0.063-0.070 OHMS	0.61-0.67 OHMS	
20719B	390	1	50 KW	0.02-0.03 OHMS	0.30-0.34 OHMS	
20718E	390	3	40 KW	0.10-0.11 OHMS		
20718D	390	3	40 KW	0.10-0.11 OHMS	0.37-0.40 OHMS	
20718C	390	3	40 KW	0.102-0.112 OHMS	0.98-1.09 OHMS	
20718B	390	1	40 KW	0.032-0.035 OHMS	0.37-0.41 OHMS	
20718A	390	1	40 KW	0.39-0.43 OHMS	0.49-0.56 OHMS	
20717E	390	3	35 KW	0.11-0.12 OHMS		
20717D	390	3	35 KW	0.11-0.12 OHMS	0.78-0.83 OHMS	
20717B	390	1	35 KW	0.05-0.06 OHMS	0.41-0.45 OHMS	
20717A	390	1	35 KW	0.05-0.06 OHMS	0.55-0.61 OHMS	
20716E	390	3	35 KW	0.11-0.12 OHMS		
20716D	390	3	35 KW	0.11-0.12 OHMS	0.78-0.80 OHMS	
20716C	390	3	35 KW	0.106-0.117 OHMS	1.05-1.16 OHMS	
20716B	390	1	35 KW	0.05-0.06 OHMS	0.41-0.45 OHMS	
20716A	390	1	35 KW	0.05-0.06 OHMS	0.55-0.61 OHMS	
20715E	390	3	25 KW	0.24-0.26 OHMS		
20715D	390	3	25 KW	0.24-0.26 OHMS	0.95-1.05 OHMS	
20715C	390	3	25 KW	0.24-0.27 OHMS	1.48-1.64 OHMS	
20715B	390	1	25 KW	0.09-0.11 OHMS	0.54-0.59 OHMS	
20715A	390	1	25 KW	0.10-0.11 OHMS	0.72-0.78 OHMS	
20686	10	3	6.4 KW	0.59/0.93/0.93 OHMS	1.81 OHMS	0.15 OHMS
A5849	10	3	20 KW	0.119x6 OHMS	0.89 OHMS	
A5848	10	3	16 KW	0.18x6 OHMS	1.02 OHMS	
A5846	10	3	15 KW	0.23 OHMS	0.94 OHMS	
A5770	390	3	40 KW	0.34-0.36 OHMS	0.59-0.65 OHMS	
A5769	390	3	100 KW	0.038-0.040 OHMS	0.79-0.90 OHMS	
A5229	10	1	20 KW	0.044/0.044 OHMS	0.69 OHMS	
A4335	520	3	110 KW	0.0238x6 OHMS		
A3712	390	1	125 KW	0.006-0.007 OHMS	0.25-0.27 OHMS	
A2865H	520	3	250 KW	0.018X6 OHMS		
A2865G	520	3	200 KW	0.031x6 OHMS		
A2865F	520	3	150 KW	0.049X6 OHMS		



<b>STATOR</b>	<b>SIZE</b>	<b>PH</b>	<b>KW</b>	<b>PWR</b>	<b>DPE</b>	<b>BCW</b>
A2865E	520	3	330 KW	<i>0.0034x6 OHMS</i>		
A2865D	520	3	275 KW	<i>0.0041x6 OHMS</i>		
A2865C	520	3	250 KW	<i>0.005x6 OHMS</i>		
A2865B	520	3	200 KW	<i>0.008x6 OHMS</i>		
A2865A	520	3	150 KW	<i>0.0139x6 OHMS</i>		

### D-Stators

STATOR	SIZE	PH	KW	S1-S4, S7-S10	ALL OTHERS	DPE
99026	10	3	20	0.07 OHMS	0.10 OHMS	0.36 OHMS
98683	10	3	15	0.093 OHMS	0.14 OHMS	0.81 OHMS
98677	10	3	20	0.08 OHMS	0.135 OHMS	0.45 OHMS
98673	10	3	10	0.12 OHMS	0.19 OHMS	0.80 OHMS
97620	10	3	25	0.06 OHMS	0.09 OHMS	0.46 OHMS
90010	390	3	40	0.05-0.07 OHMS	0.09-0.11 OHMS	0.86-0.94 OHMS
88472	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	0.44-0.48 OHMS
88471	390	3	40	0.04-0.05 OHMS	0.07-0.08 OHMS	0.49-0.54 OHMS
88470	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.59-0.64 OHMS
88469	390	3	25	0.09-0.10 OHMS	0.13-0.15 OHMS	0.67-0.78 OHMS
87263A	390	3	80	0.01-0.02 OHMS	0.02-0.03 OHMS	
87262B	390	3	60	0.02-0.03 OHMS	0.03-0.04 OHMS	
87262A	390	3	60	0.02-0.03 OHMS	0.03-0.04 OHMS	0.24-0.28 OHMS
87262	390	3	60	0.02-0.03 OHMS	0.03-0.04 OHMS	0.24-0.28 OHMS
87261A	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	
87261	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	0.63-0.70 OHMS
87260B	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	
87260A	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	0.38-0.42 OHMS
87260	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	0.38-0.42 OHMS
87259A	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	
87259	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.45-0.49 OHMS
87258A	390	3	25	0.12-0.13 OHMS	0.15-0.16 OHMS	
87258	390	3	25	0.12-0.13 OHMS	0.15-0.16 OHMS	0.65-0.75 OHMS
84008	15"	3	45/50	0.03 OHMS	0.04 OHMS	0.28 OHMS
80427	15"	3	40	0.04 OHMS	0.06 OHMS	0.51 OHMS
79942	10	3	16	0.12 OHMS	0.19 OHMS	0.94 OHMS
79934	10	3	12	0.12 OHMS	0.19 OHMS	0.78 OHMS
79501	10	3	8	0.19 OHMS	0.27 OHMS	0.80 OHMS
78086	15"	3	40	0.05 OHMS	0.07 OHMS	0.33 OHMS
77404	10	3	10	0.15 OHMS	0.24 OHMS	0.95 OHMS
77400	10	3	20	0.08 OHMS	0.135 OHMS	0.45 OHMS
76617	15"	3	35	0.06 OHMS	0.099 OHMS	0.53 OHMS
73416	15"	3	80	0.016 OHMS	0.022 OHMS	0.32 OHMS
73413	15"	3	60	0.02 OHMS	0.03 OHMS	0.40 OHMS
73410	15"	3	45/50	0.03 OHMS	0.04 OHMS	0.28 OHMS
73407	15"	3	36/40	0.05 OHMS	0.07 OHMS	0.33 OHMS
73404	15"	3	30/35	0.05 OHMS	0.10 OHMS	0.35 OHMS
73401	15"	3	20/25	0.13 OHMS	0.20 OHMS	0.48 OHMS
72802	15"	3	80	0.016 OHMS	0.022 OHMS	0.27 OHMS
72415A	15"	3	35	0.07 OHMS	0.096 OHMS	0.52 OHMS
72415	15"	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.59-0.64 OHMS
72410	10	3	10	0.25 OHMS	0.24 OHMS	0.95 OHMS

<b>STATOR</b>	<b>SIZE</b>	<b>PH</b>	<b>KW</b>	<b>S1-S4, S7-S10</b>	<b>ALL OTHERS</b>	<b>DPE</b>
71695	10	3	17.5	0.089 OHMS	0.117 OHMS	0.857 OHMS
69273	10	3	20	0.07 OHMS	0.135 OHMS	0.45 OHMS
69267	10	3	15	0.13 OHMS	0.20 OHMS	1.32 OHMS
68688	10	3	20	0.075 OHMS	0.112 OHMS	0.76 OHMS
68681	10	3	20	0.075 OHMS	0.112 OHMS	0.57 OHMS
68451	10	3	17.5	0.089 OHMS	0.117 OHMS	0.857 OHMS
68438	10	3	12.5	0.13 OHMS	0.20 OHMS	1.14 OHMS
68436	10	3	12.5	0.13 OHMS	0.20 OHMS	0.91 OHMS
68429	10	3	15	0.093 OHMS	0.14 OHMS	0.81 OHMS
68425	10	3	10	0.15 OHMS	0.24 OHMS	0.95 OHMS
66657	10	3	10	0.15 OHMS	0.24 OHMS	0.80 OHMS
65816	10	3	15	0.083 OHMS	0.166 OHMS	0.97 OHMS
60096	10	3	5.5	0.378 OHMS	0.758 OHMS	3.35 OHMS
59508		3	25	0.074 OHMS	0.148 OHMS	1.0 OHMS
59376		3	30/35	0.043 OHMS	0.099 OHMS	0.37 OHMS
58774A		3	35	0.04 OHMS	0.079 OHMS	0.18 OHMS
58774		3	35	0.04 OHMS	0.079 OHMS	0.18 OHMS
58476		3	50	0.020 OHMS	0.0419 OHMS	0.64 OHMS
58071A	10	3	10	0.15 OHMS	0.30 OHMS	1.43 OHMS
58071	10	3	10	0.15 OHMS	0.30 OHMS	1.43 OHMS
57740	10	3	15	0.083 OHMS	0.166 OHMS	0.97 OHMS
57727	10	3	20	0.075 OHMS	0.112 OHMS	0.85 OHMS
57656		3	80	0.011 OHMS	0.017 OHMS	0.22 OHMS
55493		3	45	0.019 OHMS	0.038 OHMS	0.13 OHMS
55480		3	65	0.011 OHMS	0.025 OHMS	0.17 OHMS
54133	10	3	40	0.03 OHMS	0.05 OHMS	0.57 OHMS
53619		3	75	0.011 OHMS	0.025 OHMS	0.17 OHMS
52626				0.019 OHMS	0.038 OHMS	0.13 OHMS
51039	10	3	35	0.05 OHMS	0.03 OHMS	0.57 OHMS
50338	10	3	40	0.05 OHMS	0.03-0.05 OHMS	0.57 OHMS
20730H	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	
20730G	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	0.63-0.70 OHMS
20729H	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	
20729G	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	0.38-0.42 OHMS
20729F	390	3	40	0.04-0.05 OHMS	0.07-0.08 OHMS	0.49-0.54 OHMS
20728H	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	
20728G	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.45-0.49 OHMS
20721H	390	3	80	0.01-0.02 OHMS	0.02-0.03 OHMS	
20721G	390	3	80	0.01-0.02 OHMS	0.02-0.03 OHMS	0.2-0.3 OHMS
20720G	390	3	60	0.02-0.03 OHMS	0.03-0.04 OHMS	0.24-0.28 OHMS
20719H	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	
20719G	390	3	50	0.025-0.035 OHMS	0.045-0.055 OHMS	0.63-0.70 OHMS
20718H	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	
20718G	390	3	40	0.06-0.07 OHMS	0.09-0.10 OHMS	0.38-0.42 OHMS
20718F	390	3	40	0.04-0.05 OHMS	0.07-0.08 OHMS	0.49-0.54 OHMS

<b>STATOR</b>	<b>SIZE</b>	<b>PH</b>	<b>KW</b>	<b>S1-S4, S7-S10</b>	<b>ALL OTHERS</b>	<b>DPE</b>
20717H	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	
20717G	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.45-0.49 OHMS
20716H	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	
20716G	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.45-0.49 OHMS
20716F	390	3	35	0.06-0.07 OHMS	0.09-0.10 OHMS	0.59-0.64 OHMS
20715H	390	3	25	0.12-0.13 OHMS	0.15-0.16 OHMS	
20715G	390	3	25	0.12-0.13 OHMS	0.15-0.16 OHMS	0.65-0.75 OHMS
20715F	390	3	25	0.09-0.10 OHMS	0.13-0.15 OHMS	0.67-0.78 OHMS
A6424	520	3	210	0.0076 OHMS	0.0066 OHMS	
A5856	390	3	40	0.050-0.070 OHMS	0.090-0.110 OHMS	0.74-0.81 OHMS
A3926	520	3	110	0.0230 OHMS	0.0201 OHMS	
A3925	520	3	210	0.0076 OHMS	0.0066 OHMS	
A2609	10	3	20	0.07 OHMS	0.10 OHMS	0.59 OHMS

**Miscellaneous Stators**

<b>STATOR</b>	<b>SIZE</b>	<b>PH</b>	<b>KW</b>	<b>S1-SL1, S2-SL2, S3-SL3</b>	<b>ALL OTHER</b>	<b>DPE</b>
92082	390	3	98	0.024-0.026 OHMS	0.0123-0.0135 OHMS	0.4-0.5 OHMS
90716	390	3	36	0.078-0.083 OHMS	0.036-0.038 OHMS	0.38-0.42 OHMS
90342	390	3	68	0.045-0.050 OHMS	0.0123-0.0135 OHMS	0.271-0.291 OHMS
90317	390	3	36	0.098-0.108 OHMS	0.033-0.036 OHMS	0.38-0.42 OHMS
90073	390	3	25	0.125-0.138 OHMS	0.0625-0.0691 OHMS	0.484-0.535 OHMS
89445	390	3	68	0.038-0.042 OHMS	0.0157-0.0173 OHMS	0.271-0.299 OHMS
81759	15"	1,3	68	0.014 OHMS	0.048 OHMS	0.18 OHMS
79976	15"	1,3	24	0.15 OHMS	0.062 OHMS	0.52 OHMS
79973	15"	3	36	0.0764 OHMS	0.0287 OHMS	0.417 OHMS
21440	390	3	98	0.010-0.013 OHMS	0.033-0.039 OHMS	0.4-0.5 OHMS
21439	390	3	75	0.022-0.026 OHMS	0.068-0.082 OHMS	0.271-0.299 OHMS
21425	390	1	40	0.052-0.062 OHMS	0.16-0.20 OHMS	0.38-0.42 OHMS

**Exciters**

<b>EXCITER</b>	<b>RESISTANCE</b>
74246	5.6 OHMS
72876	
68405	6.6 OHMS
68404	5.6 OHMS
87272	0.45-0.65 OHMS
87271	0.3X0.3 OHMS
86376	0.25 X3 OHMS
80775	0.35X3 OHMS
80739	
80738	
80734	
73911	2.1X3 OHMS
73910	2.0X3 OHMS